

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	38	(medium or disk or disc or media) near8 (stor\$3 or contain\$4 or located) near8 (cache near3 (parameter or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 13:09
L5	26	(medium or disk or disc or media) near8 (storing or stor\$2 or contain\$4 or located) near8 (cache near3 (parameter or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 13:10
S1	1	"20050066227"	US-PGPUB; USPAT	ADJ	ON	2005/09/27 09:48
S2	6	("6393492" "5995308" "6009498" "6098185" "6101574" "6442715"). pn.	USPAT	OR	ON	2005/09/27 09:49
S4	15	((defect near4 table) or (bad near3 memory near3 table)) near8 (dynamic\$4 or unfixed or variabl\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 08:52
S5	2	"20020108072"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 11:23
S6	9	(defect adj table) with (dynamic\$4 or unfixed or variabl\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:25
S7	22	(defect adj table) same (dynamic\$4 or unfixed or variabl\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:25
S8	5	S7 and "714"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:25

S9	2	S8 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:27
S10	26	((defect near4 table) or (bad near3 memory near3 table)) with (dynamic\$4 or unfixed or variabl\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:30
S11	75	((defect near4 table) or (bad near3 memory near3 table)) same (dynamic\$4 or unfixed or variabl\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:30
S12	8	S11 and "714"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:35
S13	0	((defect near4 log) or (bad near3 memory near3 log)) near8 (dynamic\$4 or unfixed or variabl\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:36
S14	1918	(defect near3 table) or (bad memory near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:42
S15	161	S14 and "714"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:43
S16	118	S15 and (\$2RAM or random access memory or volatile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 12:59



S17	8	determin\$4 with (free or available or unused) with (defect near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:22
S18	14	(determin\$4 near6 (memory)) with (available or occup\$4) with defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 13:57
S19	334	defect table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 15:47
S20	30	(defect table) same (dynamic\$4 or vary\$3 or variable or unfixed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 15:51
S21	10	(defect table) with (cach\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 15:54
S22	1	(defect table) with ((varying or variable) near3 (size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 15:55
S23	1	(defect near3 table) with ((varying or variable) near3 (size))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/27 15:55
S24	5	(table) with ((varying or variable) near3 (size)) with defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:01

S25	17	(reallocate\$3 or allocate\$3 or assign or reassign) near6 (memory or block or page or sector or track) with (defect near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:20
S27	247	((determine\$5) near3 memory) with (occupy\$3 or used or taken) near6 (table))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:33
S31	53900	"711"/\$3 or "714"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:28
S32	36	S27 and S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:28
S33	204	(reallocate\$3 or allocate\$3 or reassign\$3) near4 (unused or free) near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:34
S35	99	(reallocate\$3 or allocate\$3 or reassign\$3) near4 (unused or free) near4 (memory or block or segment or track or page) near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:34
S36	53	S31 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:39
S37	4	determine\$4 near3 memory near3 occupy\$4 near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:41

S38	102	determin\$4 near3 memory near3 (used or taken) near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:45
S39	15	S31 and S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:41
S40	342	memory adj2 (occup\$4 or used or taken) adj2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:48
S41	64	S31 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:46
S42	8	(memory adj2 (occup\$4 or used or taken) adj2 table) and ((reallocat\$3 or reassign\$3) adj3 (unused or free or unoccup\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:53
S43	48	((memory or block or page or track or sector) adj3 (occup\$4 or used or taken) adj3 (table or log)) and ((reallocat\$3 or reassign\$3 or allocat\$3 or assign\$3) adj3 (unused or free or unoccup\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 09:54
S44	40	S43 not S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 10:17
S45	12	(reallocat\$3 or allocat\$3) near3 (memory or block or page or segment or track) near3 (unused or free on unoccup\$4 or vacant) near3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 10:24

S46	34	(memory or block or page or segment or track) adj3 (unused or free on unoccup\$4 or vacant) adj3 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:03
S47	1	(table near2 size) with (allocat\$3 or reallocat\$3) near4 (unused or free or unoccup\$3) near2 (memory or block or segment or page or track)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:05
S48	3	(table near2 size) with (allocat\$3 or reallocat\$3) near4 (unused or free or unoccup\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:06
S49	139	(determin\$4) near4 (table adj size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:09
S50	5	(determin\$4) near4 (table adj size) with (allocat\$4 or reallocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:23
S51	6044	711/170 or 711/171 or 711/173 or 711/202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:11
S52	11	S49 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:47
S53	0	(determin\$4) near4 (table adj size) with ((allocat\$4 or reallocat\$4 or assign\$3 or reassign\$3 or allot\$4) near6 (free or unused or unoccup\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:18

S54	7	(determin\$4) near4 (table adj size) with ((allocat\$4 or reallocat\$4 or assign\$3 or reassign\$3 or allot\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:18
S55	276	(determin\$4 or detect\$3) with (table adj size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:23
S56	580	(determin\$4 or detect\$3) with (table near1 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:24
S57	7	(determin\$4) near4 (table near1 size) with (allocat\$4 or reallocat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:23
S58	29	(determin\$4 or detect\$3) with (table near1 size) with ((allocat\$4 or reallocat\$4 or assign\$3 or reassign\$3 or allot\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:28
S59	12	(determin\$4 or detect\$3) with (table near1 size) with ((allocat\$4 or reallocat\$4) near6 (block or segment or page or memory or sector))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 11:28
S60	1104	(determin\$4 near3 size near3 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:07
S61	6237	(reallocat\$4 or allocat\$4) near3 (free or unused or unoccup\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:13

S62	31	S60 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:03
S63	36	S60 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:05
S64	80	(calculat\$3) near3 (table near1 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:10
S67	18	calculat\$3 near1 table near1 size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:10
S68	578	S51 and S61	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:13
S69	373	((reallocat\$4 or allocat\$4) near3 (free or unused or unoccup\$4)) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:03
S70	58	S69 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:14
S71	1	determin\$4 near6 (size near2 table) near6 (free or unused or unallocat\$4 or unoccup\$4) near6 (block or memory or page or sector or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:50

S72	5	determin\$4 with (size near2 table) with (free or unused or unallocat\$4 or unoccup\$4) with (block or memory or page or sector or segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 12:51
S73	4382	((partition\$3 or repartition\$3 or re-partition\$3) near3 (free or unused or unoccup\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:10
S74	36	((partition\$3 or repartition\$3 or re-partition\$3) near3 (free or unused or unoccup\$4)) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:17
S75	77	S73 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:10
S76	2	((partition\$3 or repartition\$3 or re-partition\$3) near3 (free or unused or unoccup\$4)) same (determin\$5 with (occup\$4 or used) near6 (memory or block or segment or track or page))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:20
S77	43	711/129 and (table near2 size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:21
S78	34	711/129 and (table near2 size) and (\$3allocat\$4 or \$3partition\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:21
S79	17	711/129 and (table near2 size) and ((\$3allocat\$4 or \$3partition\$4) with (unused or free or unoccup\$4 or empty))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:48

S80	1418	determin\$4 with (memory) with (occup\$4 or used or taken) with table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:49
S81	16	711/129 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:55
S82	275	unused adj2 table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:55
S83	13	(unused adj2 table) near4 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 13:58
S84	0	(partition\$3 or allocat\$4 or repartition\$3 or re-partition\$3 or reallocat\$3 or re-allocat\$4) near6 (memory or block or segment or page or track) near6 ((unused or "not used" or unoccup\$4 or "not occup\$4" or free\$1) adj2 "by" adj2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 14:03
S85	16	(partition\$3 or allocat\$4 or repartition\$3 or re-partition\$3 or reallocat\$3 or re-allocat\$4) near6 (memory or block or segment or page or track) near6 ((unused or "not used" or unoccup\$4 or "not occup\$4" or free\$1) adj2 table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/28 14:03
S86	1	("2002/0051394").URPN.	USPAT	ADJ	ON	2005/09/28 14:32
S87	331	"714"/\$3 and (710/55 or 710/56 or 710/57 or 710/310)	US-PGPUB; USPAT	ADJ	ON	2005/09/28 14:47
S90	0	S87 and ((defect near2 table) or ((bad adj2 memory) near2 table))	US-PGPUB; USPAT	ADJ	ON	2005/09/28 14:38
S91	0	S87 and ((defect\$4 near6 table) or ((bad adj2 memory) near2 table))	US-PGPUB; USPAT	ADJ	ON	2005/09/28 14:38
S92	18	S87 and (defect\$4)	US-PGPUB; USPAT	ADJ	ON	2005/09/28 14:39

S95	10	((determin\$4) with (unused or free or empty or unoccup\$4) near6 (memory or block or segment or sector or page)) and S87	US-PGPUB; USPAT	ADJ	ON	2005/09/28 14:48
S96	1	(defect near1 table) with (cache adj2 (parameter or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:17
S97	20	(stor\$3 or load\$3) near6 (cache near2 (parameter or attribute)) near6 (media or disk or disc or medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:23
S98	11	(trasfer\$4 or send\$3 or upload\$3 or load\$3) near6 (parameter or attribute) near6 (cache and (disk or disc or media or medium))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:26
S10 0	7	(disk or disc or media or medium) near4 (stor\$3) near4 (cache adj3 (parameter or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:30
S10 1	116	(disk or disc or media or medium) near6 (stor\$3 or load\$3 or upload\$3) near6 ((buffer or cache) near6 (parameter or attribute))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:47
S10 2	4719	(711/129 or 711/170 or 711/171 or 711/173)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:31
S10 3	9	S101 and S102	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:32
S10 4	1784	(parameter or attribute) adj6 (stor\$3 or load\$3 or upload\$3) adj6 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:48

S10 6	1639	(parameter or attribute) adj6 (store\$2 or storing or load\$3 or upload\$3) adj6 (buffer or cache)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 10:09
S10 7	36	S102 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 08:49
S10 8	1	"20020108072"	US-PGPUB; USPAT	ADJ	ON	2005/09/29 10:00
S10 9	54	S106 and "714"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 10:11
S11 0	40	(cache or buffer) near4 (attribute or parameter) near4 (store\$1 or storing or located) near4 (disk or disc or media or medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 10:18
S11 1	10	(attribute or parameter) near4 (transfer\$4 or send\$3 or sent) near4 (disk or disc or media or medium) near4 (cache or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 10:26
S11 4	30	size near1 (cache or buffer) near4 (store\$3 or storing or load\$3 or upload\$3) near4 (disk or disc or media or medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 10:45
S11 5	1522	(attribute or parameter) near4 (stored) near4 (disk or disc or media or medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 10:46
S11 6	1073	(attribute or parameter) near4 (transfer\$3 or load\$3 or upload\$3) near4 (cache or buffer or RAM or volatile memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 10:47

S11 7	20	S115 and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 11:12
S11 8	837	((number or quantity or amount) near3 defect) with (disc or disk or medium or media)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 11:18
S11 9	113	S118 and ("714"/\$3 or 710/55 or 710/56 or 710/57 or 710/310 or 711/129 or 711/170 or 711/171 or 711/173 or 711/202)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 11:18
S12 0	75	((number or quantity or amount) near3 defect) with (disc or disk or medium or media) same table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 11:18
S12 1	36449	"714"/\$3 or 710/55 or 710/56 or 710/57 or 710/310 or 711/129 or 711/170 or 711/171 or 711/173 or 711/202	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 11:18
S12 2	16	S120 and S121	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/09/29 11:18

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)

Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<div>(*allocat* or *assign*) <sentence> (unused or free or unoccup*) <sentence> (memory or block or segment or track or page) <paragraph> table</div> <div>2 hits</div>	
---	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

Publications**Select publications**

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

Other Resources (Availab

- ☒ IEEE Books

Select date range

- ☐ Search latest content u
- ☒ From year **All**
- to **Present**

Display Format

- ☒ Citation
- ☐ Citatio

Organize results

- Maximum **100**
- Display **25** resu
- Sort by **Relevance**
- In **Descending**

[Help](#) [Contact Us](#)

© Copyright 20

Indexed by



[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

[Help](#)

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields

» Note: If you use all three search boxes, the entries in the first two boxes takes precedence over the entry in the third box.

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

[Help](#)

<div>(table size or table size) <sentence> (determin* or detect*) 5 hits</div>	
---	--

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☒ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference I
- ☒ IEE Conference Pr
- ☒ IEEE Standards

☐ Search subscribed con**» Other Resources (Availab**☒ IEEE Books**» Select date range**☐ Search latest content u

☒ From year

to

» Display Format☒ Citation ☐ Citatio**» Organize results**Maximum Display Sort by In [Help](#) [Contact Us](#)

© Copyright 20


Indexed by

ACM Search History

defect table buffer cache... 103 hits

defect table buffer cache dynamic... 61 hits

defect table buffer cache unfixed... 1 hit


9/29/05